

EBU

OPERATING EUROVISION AND EURORADIO


TECH 3325 s1

METHODS FOR THE MEASUREMENT OF THE PERFORMANCE OF STUDIO MONITORS

ADDITIONAL TEST COLOURS
FOR GRADE 1 HDR MONITORS

Supplement 1
Version 1.1

Geneva
September 2019



This page and others in the document are intentionally left blank to maintain pagination for two sided printing

Methods for the Measurement of the performance of Studio Monitors: Supplement 1, Additional test colours for Grade 1 HDR Monitors

EBU Committee	First Issued	Revised	Re-issued
VS, TC	2019	2019 ¹	

Keywords: Tech 3325, Tech 3320, HDR, HLG, PQ, BT.2100.

1. Additional Test Colours

In addition to the test colours listed in EBU Tech 3325, Grade 1 HDR reference monitors shall also display the following test colours within the tolerance listed in EBU Tech 3320 (10-bit, narrow range).

Colour Name	u'	v'	Y	HLG values (with 1000 cd/m ² OOTF)					
				DR'	DG'	DB'	DY'	DCb	DCr
Luminous Bright Orange	0.3179	0.5409	0.1500	786	621	258	643	303	611
Carnation Pink	0.2271	0.4693	0.3457	832	780	785	794	508	539
Canary	0.2412	0.5509	0.3068	823	772	334	760	281	556
Lush Green	0.1170	0.5244	0.0588	346	580	389	507	448	400
Luminous Bright Red	0.4345	0.5214	0.0661	738	361	227	452	390	711
Luminous Green	0.1004	0.5617	0.1604	439	739	346	637	354	375
Blueish Purple	0.3000	0.3000	0.0453	658	244	745	382	709	703
Reddish Purple	0.3804	0.4103	0.0651	735	307	626	439	614	718
Anchusa	0.1360	0.3939	0.0442	319	505	635	464	605	411
True Blue	0.1650	0.2000	0.0214	269	287	772	311	763	483

¹ The Y value for the colour named *Anchusa* was corrected from 0.0172 to 0.0442.